

20000 liters tank i rustfritt stål 304



221 000 SEK /st exkl moms

Additional information: Hand lever on the butterfly valve of the outlet is missing; bump at the cylinder

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN100 DIN 11851

Agitator: yes

Power: 7,50

Internal diameter tank: 2.840 mm

Cylinder height: 2.990 mm

Total height of tank: 4.800 mm

SKU: 420548

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Håndspaken på spjeldventilen på utløpet mangler; støt på sylindren; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 20000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 2 990 mm

Innvendig diameter: 2 840 mm

Total høyde: 4 800 mm

Omrører

Effekt (kW): 7,50



Mer

Isolert: Nei