

20000 liters tank i rustfritt stål 304



152 000 SEK /st exkl moms

Additional information: Getränkeindustrie; at one tank one foot is pressed a bit in the lower bottom; small dents

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 480 / 980

Power: 1,1 / 4.0

Top: 3 mm

Cylinder: 3 mm

Bottom: 3,90 mm

Internal diameter tank: 2.850 mm

Cylinder height: 3.000 mm

Total height of tank: 4.800 mm

Empty weight tank: 1.500

SKU: 392921

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Getränkeindustrie; på den ene tanken er den ene foten trykket litt i bunnen; små bulker; vi kan ikke gi noen garantier for røreverket

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 20000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 3 000 mm

Innvendig diameter: 2 850 mm

Total høyde: 4 800 mm

Omrører

Effekt (kW): 1,1 / 4.0

Turtall: 480 / 980



Tanktykkelse

Bunn: 3,90 mm

Sylinder: 3 mm

Topp: 3 mm

Mer

Isolert: Nei

Vekt: 1.500