

## 20000 liters tank i rustfritt stål 304



225 000 SEK /st exkl moms

**Article type:** second-hand storage tank

**Additional information:** The covering around the insulation has come loose at the front, please look carefully at the photos.; we can't give any guarantees about the heating/cooling jacket

**Volumetric volume (L):** 20.000 L

**Pressure in tank:** pressure

**Design pressure (Bar):** 4,50 Bar

**Max. pressure (Bar):** 3,50 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger



**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** dished

**Bottom outlet:** yes

**Total discharge:** yes

**Fixation points:** 3 adjustable feet

**Type HE:** spiral pipes inside the tank

**Heat exchanger:** RVS - 304 with rockwool insulation

**Insulation material:** PUR

**Outer jacket (ornamental wall):** RVS 304L

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** cylinder

**Height manhole 1 (mm):** 320 mm x H 430 mm

**Tank outlet:** inside Ø 65 mm

**Agitator:** no

**finish of the outer jacket:** riveted

**Distance from outlet to ground:** 200 mm

**Outer diameter tank:** 3.000 mm

**Cylinder height:** 3.500 mm

**Total height of tank:** 4.900 mm

**Empty weight tank:** 3.000

**SKU:** 439067



## Mer information

### Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Designtrykk for tanken: 4,50 bar

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Trekket rundt isolasjonen har løsnet i fronten, se nøye på bildene; vi kan ikke gi noen garanti for varme-/kjølekappen

Omrører: Nei

Overtrykk: 3,50 bar

Tankens form: sylindrisk

Total uttapping:

Type bunn: tallerken

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 20000

### Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Næringsmiddelgodkjent: Ja

Tankutløp: innvendig Ø 65 mm

Teknisk tegning finnes: Nei, det er det ikke.



## Materialoversikt

Materiale: Rustfritt stål 304  
Isolasjonsmateriale: PUR  
Utvendig kledning: RVS 304L

## Tankdimensjoner

Sylinderhøyde: 3 500 mm  
Mål utløp til bakken: 200 mm  
Total høyde: 4 900 mm  
Ytre diameter: 3 000 mm

## Tykkelse på ytterbekledning og isolasjon

Finish utvendig kappe: naglet  
Isolasjonsmateriale: PUR

## Mer

Varmeveksler: RVS – 304 med steinullisolasjon  
Isolert: Ja  
Vekt: 3.000