

20000 liters tank i syrefast 316



157 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Wall type: conical

Total discharge: yes

Manway(s): RVS 316

Gasket manway(s): unknown

Valve: RVS 316

Gasket shut-off valve (mat): unknown

Fixation point(s): RVS 304L

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: headside

CIP spray ball: no

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851 male

Total outlet valve: yes

Agitator: no

Outer diameter tank: 2.900 mm

Total height of tank: 3.340 mm

Total outer length: 3.800 mm

Empty weight tank: 1.200

SKU: 377069



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja
Materiale: Syrefast 316
Modell: Horisontal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Tankens form: sylindrisk
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 20000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Ja
Næringsmiddelgodkjent: Ja
Tankutløp: innvendig Ø 50 mm
Teknisk tegning finnes: Nei, det er det ikke.
Utløpstype: DIN11851 hann
Utløpsventil: Ja

Materialoversikt

Materiale: Syrefast 316
Festepunkt(er): RVS 304L



Tankdimensjoner

Total høyde: 3 340 mm

Ytre diameter: 2900 mm

Mer

Isolert: Nei

Vekt: 1.200