

21800 liters tank i syrefast 316



226 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: we can't give any guarantees about the heating/cooling jacket

Volumetric volume (L): 21.800 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Bottom outlet: yes

Total discharge: yes

Fixation points: 4 adjustable feet

Type of HE on the cylinder: dimple-jacket

Position HE: the lower part of the cylinder

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Hinged lid: yes

Position 2nd manway: headside

Agitator: no, optional

Outer diameter tank: 2.600 mm

Total height of tank: 6.500 mm

SKU: 483584



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: vi kan ikke gi noen garantier for varme-/kjølekappen

Omrører: Nei

Tankens form: sylindrisk

Total uttapping: Ja

Type bunn: konisk

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 21800

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Ja

Næringsmiddelgodkjent: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Festepunkt(er): RVS 304



Tankdimensjoner

Total høyde: 6 500 mm

Ytre diameter: 2 600 mm

Varmevekslere

Posisjon varmeveksler: den nedre delen av cilinderen

Type varmeveksler på sylinder: dimple jakke

Mer

Isolert: Ja