

22000 liters tank i rustfritt stål 304



221 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: we can't give any guarantees about the heating/cooling jacket

Volumetric volume (L): 22.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no



Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 6 adjustable feet

Type of HE on the cylinder: heating/cooling jacket

Position HE: the lower part of the cylinder

Water pressure HE: 1 Bar

Type of HE on the bottom: heating/cooling jacket

Heat exchanger bottom connected with cylinder: yes

Connection of the bottom to the cylinder: binned isolation

Water pressure HE: 1 Bar

Insulation material: Rockwool

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 420 mm

Hinged lid: yes

Tank outlet: inside Ø 80 mm

Agitator: no

Internal diameter tank: 2.700 mm

Distance from outlet to ground: 400 mm

Outer diameter tank: 2.800 mm

Cylinder height: 3.850 mm

Total height of tank: 5.150 mm

Empty weight tank: 2.100



SKU: 411566

Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: vi kan ikke gi noen garantier for varme-/kjølekappen

Omrører: Nei

Tankens form: sylindrisk

Total uttapping:

Type bunn: konisk

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 22000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Næringsmiddelgodkjent: Ja

Tankutløp: innvendig Ø 80 mm

Teknisk tegning finnes: Nei, det er det ikke.



Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): RVS 304

Isolasjonsmateriale: Rockwool

Tankdimensjoner

Sylinderhøyde: 3 850 mm

Innvendig diameter: 2700 mm

Mål utløp til bakken: 400 mm

Total høyde: 5 150 mm

Ytre diameter: 2 800 mm

Varmevekslere

Posisjon varmeveksler: den nedre delen av cilinderen

Type varmeveksler på sylinder: varme-/kjølekappe

Type varmeveksler på bunn: varme-/kjølekappe

Vanntrykk varmeveksler: 1 bar

Vanntrykk varmeveksler bunn: 1 bar

Tykkelse på ytterbekledning og isolasjon

Isolasjonsmateriale: Rockwool

Mer

Isolert: Ja

Vekt: 2.100