

22000 liters tank i syrefast 316



295 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: the tanks have never been used

Volumetric volume (L): 22.000 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Wall type: conical

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 316

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 415 mm x H 515 mm

Agitator: no, optional

Top: 3 mm

Cylinder: 3 mm

Bottom: 3 mm

Outer diameter tank: 2.906 mm

Cylinder height: 3.000 mm

Total height of tank: 3.300 mm

Total outer length: 3.900 mm

Empty weight tank: 1.000

SKU: 450593



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Syrefast 316

Modell: Horisontal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tankene har aldri vært i bruk

Omrører: Nei

Tankens form: sylindrisk

Total uttapping:

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 22000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Næringsmiddelgodkjent: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Festepunkt(er): RVS 304



Tankdimensjoner

Sylinderhøyde: 3 000 mm

Total høyde: 3 300 mm

Ytre diameter: 2 906 mm

Tanktykkelse

Bunn: 3 mm

Sylinder: 3 mm

Topp: 3 mm

Mer

Isolert: Nei

Vekt: 1.000