

23000 liters tank i rustfritt stål 304



128 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 23.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Top type: conical



Shape of tank: cylindrical
Bottom type: conical
Bottom outlet: yes
Total discharge: yes
Fixation points: 8 non adjustable feet

Insulation material: Rockwool
Manway(s): RVS 304
Gasket manway(s): unknown
Fixation point(s): RVS 304
Suitable for food industry: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1

Position of manway: at the top
Height manhole 1 (mm): 440 mm
Hinged lid: yes
Tank outlet: inside Ø 40 mm
Agitator: no

Top: 3 mm
Cylinder: 2,50 mm
Bottom: 3 mm
Insulation thickness: 80
Internal diameter tank: 2.650 mm

Distance from outlet to ground: 400 mm
Outer diameter tank: 2.900 mm
Cylinder height: 3.400 mm
Total height of tank: 5.200 mm
Empty weight tank: 2.100

SKU: 387917



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja
Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Tankens form: sylindrisk
Total uttapping: Ja
Type bunn: konisk
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 23000

Utstyr

Dokument finnes: Nei
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Næringsmiddelgodkjent: Ja
Tankutløp: innvendig Ø 40 mm
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304
Isolasjonsmateriale: Rockwool



Tankdimensjoner

Sylinderhøyde: 3 400 mm
Innvendig diameter: 2650 mm
Mål utløp til bakken: 400 mm
Total høyde: 5 200 mm
Ytre diameter: 2900 mm

Tanktykkelse

Bunn: 3 mm
Sylinder: 2,50 mm
Topp: 3 mm

Tykkelse på ytterbekledning og isolasjon

Isolasjonsmateriale: Rockwool

Mer

Isolasjonstykkelse OW: 80
Isolert: Ja
Vekt: 2.100