2400 liters tank i syrefast 316

120 000 SEK /st exkl moms

Additional information: Cosmetics; Outlet fitting is missing; possibly documents on diskette (not yet looked through); some residues of previous content
Volumetric volume (L): 2.400 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Outlet of tank: 65
Number of revolutions: 950
Power: 5,50
Internal diameter tank: 1.630 mm

Outer diameter tank: 1.890 mm
Cylinder height: 1.000 mm
Total height of tank: 3.400 mm

SKU: 397163

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert med varmeveksler
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Kosmetikk; utløpsbeslag mangler; muligens dokumenter på diskett (ikke gjennomgått ennå); noen rester av tidligere innhold; vi kan ikke gi noen garantier om varme- / kjølekappen
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Ja
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 2400

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 1 000 mm
Innvendig diameter: 1 630 mm
Total høyde: 3 400 mm
Ytre diameter: 1 890 mm

Omrører

Effekt (kW): 5,50
Turtall: 950

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolert: Ja

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor