

24500 liter tank i rustfritt stål 304





368 000 SEK /st exkl moms

Additional information: Brewery; Total height estimated according to drawing; 1 manhole diameter 450 mm with connection diameter 70 mm at the end of the cone bottom; wall thickness of 1000 mm of cylinder height 4 mm

Volumetric volume (L): 24.500 L

Pressure in tank: pressure

Max. pressure (Bar): 2,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: no

Volume: 113 L

Max Overpressure: 2 Bar

Max. working temperature: 70 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Top: 6 mm

Cylinder: 3,50 mm

Bottom: 4,50 mm

Internal diameter tank: 2.882 mm

Outer diameter tank: 3.084 mm

Cylinder height: 2.500 mm

Total height of tank: 6.000 mm



SKU: 474482

Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 50 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Bryggeri; Total høyde estimert i henhold til tegning; 1 mannhull diameter 450 mm med tilkoblingsdiameter 70 mm i enden av kjeglebunnen; veggtykkelse på 1000 mm av sylinderhøyde 4 mm; vi

Øvrig informasjon2: kan ikke gi noen garantier om varme-/kjølekappen

Omrører: Nei

Overtrykk: 2,50 bar

Total uttapping: Nei, det er det ikke.

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 24500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.



Materialöversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 2 500 mm

Innvendig diameter: 2 882 mm

Total høyde: 6 000 mm

Ytre diameter: 3 084 mm

Tanktykkelse

Bunn: 4,50 mm

Sylinder: 3,50 mm

Topp: 6 millimeter

Mer

Isolert: Ja