

## 2500 liters tank i syrefast 316



42 000 SEK /st exkl moms

**Volumetric volume (L):** 2.500 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical



**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Cylinder height:** 1.380 mm

**Total height of tank:** 2.900 mm

**SKU:** 485117

## Mer information



## Beskrivelse av produkt

Materiale: Syrefast 316  
Modell: Vertikal  
Nyprodusert/Brukt: Brukt  
Arbeidstrykk i tank: ATM – atmosfærisk  
Konfiguration: enkelthudet  
Mobil tank: Nei, det er det ikke.  
Øvrig informasjon: kjemi  
Omrører: Nei  
Total uttapping: Ja  
Oppvarming/kjøling: Nei  
Væskebelastet overflate: SS AISI 316 (V4A)  
Volum i liter: 2500

## Utstyr

Dokument finnes: Nei, det er det ikke.  
Flens for omrører: Nei  
Merkeskilt: Ja  
Teknisk tegning finnes: Nei, det er det ikke.

## Materialoversikt

Materiale: Syrefast 316

## Tankdimensjoner

Sylinderhøyde: 1380 mm  
Total høyde: 2900 mm

## Mer

Isolert: Nei