

25000 liters tank i rustfritt stål 304



163 000 SEK /st exkl moms

Additional information: Cip-tank; Static calculation of a structurally identical tank available; some residues of previous content

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 90 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN50

Internal diameter tank: 2.490 mm

Cylinder height: 5.200 mm

Total height of tank: 7.300 mm

SKU: 393032

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 90 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Cip-tank; Statisk beregning av en strukturelt identisk tank tilgjengelig; noen rester av tidligere innhold

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 25000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 5 200 mm

Innvendig diameter: 2490 mm

Total høyde: 7 300 mm

Mer

Isolert: Nei