

25000 liters tank i syrefast 316





214 000 SEK /st exkl moms

Additional information: food products

Volumetric volume (L): 25.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 50

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 4 mm

Outer diameter tank: 2.600 mm

Cylinder height: 4.250 mm

Total height of tank: 5.800 mm

SKU: 445079



Mer information

Beskrivelse av produkt

Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: trykk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: matvarer
Omrører: Nei
Overtrykk: 0,50 bar
Total uttapping:
Trykktank: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 25000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 4 250 mm
Total høyde: 5 800 mm
Ytre diameter: 2 600 mm

**Tanktykkelse**

Bunn: 4 mm

Sylinder: 2,50 mm

Topp: 3 mm

Mer

Isolert: Nei