25000 liters tank i syrefast 316

390 000 SEK /st exkl moms

Volumetric volume (L): 25.000 L
Pressure in tank: pressure
Max. temperature (°C): 55 °C
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Volume: 469 L
Max Overpressure: 3 Bar
Max. working temperature: 15 °C
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: available
Agitator: yes
Top: 4 mm
Cylinder: 4 mm
Bottom: 4 mm

Internal diameter tank: 2.750 mm
Cylinder height: 4.000 mm
Total height of tank: 6.500 mm
Empty weight tank: 2.500

SKU: 565502

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer information

Beskrivelse av produkt

Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert med varmeveksler
Maks. arbeidstemperatur: 55 °C
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: vi kan ikke gi noen garantier for varme-/kjølekappen; vi kan ikke gi noen garantier for omrøreren
Omrører: Ja
Total uttapping: Ja
Oppvarming/kjøling: Ja
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 25000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Ja
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 4 000 mm
Innvendig diameter: 2750 mm
Total høyde: 6 500 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Tanktykkelse

Bunn: 4 mm
Sylinder: 4 mm
Topp: 4 mm

Mer

Isolert: Ja
Vekt: 2.500

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor