25000 liters tank i syrefast 316

215 000 SEK /st exkl moms

Additional information: food (fruit juice)
Volumetric volume (L): 25.000 L
Pressure in tank: pressure
Max. pressure (Bar): 0,50 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Max Overpressure: 0,50 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: 50
Top: 3 mm
Cylinder: 2,50 mm
Bottom: 4 mm

Outer diameter tank: 2.605 mm
Cylinder height: 4.250 mm
Total height of tank: 5.600 mm

SKU: 409289

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: trykk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: mat (fruktjuice)
Omrører: Nei
Overtrykk: 0,50 bar
Total uttapping: Ja
Trykktank: Ja
Oppvarming/kjøling: Nei
Volum i liter: 25000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Tankdimensjoner

Sylinderhøyde: 4 250 mm
Total høyde: 5 600 mm
Ytre diameter: 2 605 mm

Tanktykkelse

Bunn: 4 mm
Sylinder: 2,50 mm
Topp: 3 mm

Mer

Isolert: Nei

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor