

27400 liters tank i syrefast 316



191 000 SEK /st exkl moms

Additional information: Extensive documentation available; decommissioning report reports signs of corrosion inside the tank; tank by now already dismantled and warehoused horizontally; the insulation was damaged in some areas and likely needs replacement.

Volumetric volume (L): 27.400 L

Pressure in tank: vacuum



Min. pressure (Bar): 0,20 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

SKU: 477523

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: vakuum

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 50 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon:

Øvrig informasjon2: områder og må sannsynligvis skiftes ut.

Omrører: Nei

Total uttapping: Nei, det er det ikke.

Undertrykk (vakuum): 0,20 bar

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 27400

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Mer

Isolert: Nei