

27550 liters tank i syrefast 316



222 000 SEK /st exkl moms

Additional information: Lösemittel; One of the storage tanks has slight residues on the inside (see pictures)

Volumetric volume (L): 27.550 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 1 Bar



Min. pressure (Bar): 0,25 Bar

Max. temperature (°C): 100 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Top: 6 mm

Cylinder: 5 mm

Bottom: 7 mm

Internal diameter tank: 2.600 mm

Cylinder height: 4.570 mm

Total height of tank: 6.700 mm

SKU: 475639

Mer information



Beskrivelse av produkt

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 100 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Løsemidler; En av lagertankene har små rester på innsiden (se bilder)

Omrører: Nei

Overtrykk: 1 bar

Total uttapping: Ja

Undertrykk (vakuum): 0,25 bar

Trykktank: Ja

Oppvarming/kjøling: Nei

Volum i liter: 27550

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Tankdimensjoner

Sylinderhøyde: 4570 mm

Innvendig diameter: 2 600 mm

Total høyde: 6 700 mm

Tanktykkelse

Bunn: 7 millimeter

Sylinder: 5 mm

Topp: 6 millimeter



Mer

Isolert: Nei