

285 liters tank i syrefast 316



64 000 SEK /st exkl moms

Additional information: Food industry; 1 longitudinal sight glass in the cylinder; slight metallic discoloration inside the tanks; the stated total height refers to 1 of the 2 tanks, which also has a screwed-in foot elevation (see photo; the second tank is approx. 100 mm lower); the higher tank with an outlet DN 50 DIN 11851 (the lower tank with a screwed-on fitting DN 20 DIN 11851)

Volumetric volume (L): 285 L



Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 46 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Top: 5 mm

Cylinder: 6 mm

Bottom: 6 mm

Internal diameter tank: 640 mm

Outer diameter tank: 690 mm

Cylinder height: 770 mm

Total height of tank: 2.020 mm

SKU: 426422



Mer information

Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 200 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Næringsmiddelindustri; 1 langsgående skueglass i sylindren; lett metallisk misfarging inne i tankene; den oppgitte totalhøyden refererer til 1 av de 2 tankene, som også har en påskrudd fot

Øvrig informasjon2: høyde (se bildet; den andre tanken er ca. 100 mm lavere); den øvre tanken med et utløp DN 50 DIN 11851 (den nedre tanken med en påskrudd armatur DN 20 DIN 11851)

Omrører: Nei

Overtrykk: 6 barer

Total uttapping: Ja

Undertrykk (vakuum): 1 bar

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 285

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.



Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 770 mm

Innvendig diameter: 640 mm

Total høyde: 2 020 mm

Ytre diameter: 690 mm

Tanktykkelse

Bunn: 6 millimeter

Sylinder: 6 millimeter

Topp: 5 mm

Mer

Isolert: Nei