

29000 liters tank i rustfritt stål 304



167 000 SEK /st exkl moms

Volumetric volume (L): 29.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max. working temperature: 20 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN65 DIN 11851

Internal diameter tank: 3.100 mm

Cylinder height: 3.500 mm

Total height of tank: 4.650 mm

SKU: 565358

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkeltmantlet med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Mat

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 29000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 3 500 mm

Innvendig diameter: 3 100 mm

Total høyde: 4 650 mm

Mer

Isolert: Nei