

300 liters tank i rustfritt stål 304



26 000 SEK /st exkl moms

Volumetric volume (L): 300 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: open

Total discharge: yes

Fixation point(s): plastic

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 820 mm

Cylinder height: 518 mm

Total height of tank: 800 mm

Empty weight tank: 100

SKU: 393317

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Maks. arbeidstemperatur: 80 °C
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 300

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): plast

Tankdimensjoner

Sylinderhøyde: 518 mm
Innvendig diameter: 820 mm
Total høyde: 800 mm

Mer

Isolert: Nei
Vekt: 100