

300 liters tank i rustfritt stål 304



27 000 SEK /st exkl moms

Volumetric volume (L): 300 L

Pressure in tank: pressure

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: open

Total discharge: yes

Max Overpressure: 5 Bar

Max. working temperature: 80 °C

Heat exchanger: RVS 304

Fixation point(s): plastic

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 820 mm

Cylinder height: 518 mm

Total height of tank: 800 mm

Empty weight tank: 100

SKU: 393338

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Nyprodusert

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 80 °C

Mobil tank: Nei, det er det ikke.

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 300

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): plast

Tankdimensjoner

Sylinderhøyde: 518 mm

Innvendig diameter: 820 mm

Total høyde: 800 mm

Mer

Varmeveksler: RVS 304

Isolert: Nei

Vekt: 100

