

300 liters tank i syrefast 316



52 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: -25°C / +50°C; -0.1bar / +0.2bar; condition control box unknown

Volumetric volume (L): 300 L

Pressure in tank: pressure

Max. pressure (Bar): 0,20 Bar

Min. pressure (Bar): 0,10 Bar

Max. temperature (°C): -25 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 casters

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 300 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN32676

Distance from outlet to ground: 350 mm

Outer diameter tank: 760 mm

Cylinder height: 700 mm

Total height of tank: 1.630 mm

Empty weight tank: 225

SKU: 376514



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: enkelthudet

Maks. arbeidstemperatur: -25 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: -25 °C / +50 °C; -0,1 bar / +0,2 bar; tilstandskontrollboks ukjent

Omrører: Nei

Overtrykk: 0,20 bar

Tankens form: sylindrisk

Total uttapping:

Type bunn: konisk

Undertrykk (vakuum): 0,10 bar

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 300

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Næringsmiddelgodkjent: Ja

Tankutløp: innvendig Ø 50 mm

Teknisk tegning finnes: Nei, det er det ikke.

Utløpstype: DIN32676



Materialoversikt

Materiale: Syrefast 316
Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 700 mm
Mål utløp til bakken: 350 mm
Total høyde: 1 630 mm
Ytre diameter: 760 mm

Mer

Isolert: Nei
Vekt: 225