3000 liters tank i rustfritt stål 304

53 000 SEK /st exkl moms

Additional information: Food industry; Tank with serveral dents; Outlet pipe tapers towards the tank to an internal pipe diameter of approx. 50 mm; several pipes inside the tank; Metallic discolouration inside
Volumetric volume (L): 3.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single jacketed with heat-exchanger
Heat exchanger: yes
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: DN65 DIN 11851
Internal diameter tank: 1.500 mm
Cylinder height: 1.730 mm
Total height of tank: 2.900 mm
Empty weight tank: 750

SKU: 424655

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkeltmantlet med varmeveksler
Mobil tank: Nei, det er det ikke.
Øvrig informasjon:
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Ja
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 3000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 1730 mm
Innvendig diameter: 1 500 mm
Total høyde: 2900 mm

Mer

Isolert: Nei
Vekt: 750

Rodervägen 57
891 78 Bonässund
info@processoverskott.se