

## 3000 liters tank i rustfritt stål 304



107 000 SEK /st exkl moms

**Article type:** second-hand mixing tank

**Additional information:** we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

**Volumetric volume (L):** 3.000 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes



**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** conical

**Bottom outlet:** yes

**Total discharge:** yes

**Fixation points:** 3 adjustable feet

**Type of HE on the cylinder:** half pipe welded onto the outside of the innertank

**Position HE:** the complet cilinder

**Type of HE on the bottom:** half pipe welded onto the outside of the innertank

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 350 mm x H 440 mm

**Hinged lid:** yes

**Tank outlet:** inside Ø 50 mm

**Agitator:** yes

**Agitator type:** propeller agitator

**Position engine:** at the top

**Power:** 1,10

**Voltage:** 400 V - three-phase

**Current:** 2,95

**Distance from outlet to ground:** 700 mm

**Outer diameter tank:** 1.700 mm

**Cylinder height:** 1.650 mm

**Total height of tank:** 3.000 mm



**Empty weight tank:** 910

**SKU:** 417086

## Mer information

### Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: vi kan ikke gi noen garantier for varme-/kjølekappen; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Tankens form: sylindrisk

Total uttapping: Ja

Type bunn: konisk

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 3000



## Utstyr

Dokument finnes: Nei  
Flens for omrører: Nei  
Merkeskilt: Nei, det er det ikke.  
Næringsmiddelgodkjent: Ja  
Tankutløp: innvendig Ø 50 mm  
Teknisk tegning finnes: Nei, det er det ikke.

## Materialoversikt

Materiale: Rustfritt stål 304  
Festepunkt(er): RVS 304

## Tankdimensjoner

Sylinderhøyde: 1 650 mm  
Mål utløp til bakken: 700 mm  
Total høyde: 3 000 mm  
Ytre diameter: 1 700 mm

## Varmevekslere

Posisjon varmeveksler: den komplette sylindren  
Type varmeveksler på sylinder: halvør sveiset på utsiden av innertanken  
Type varmeveksler på bunn: halvør sveiset på utsiden av innertanken

## Omrører

Effekt (kW): 1,10  
Motorposisjon: på toppen  
Type omrører: propellomrører  
Spenning (Volt): 400 V – trefase

## Mer

Isolert: Ja  
Vekt: 910