

3000 liters tank i syrefast 316



69 000 SEK /st exkl moms

Additional information: Lye or hot water tank in the food industry; Slight differences in design; small dents in the insulating jacket of the lower bottom; slight metallic discoloration inside; Both tanks stood as 2-chamber tanks under 2 similar tanks made of Aisi 316 (our order no. 9608); some residues of previous content

Volumetric volume (L): 3.000 L



Pressure in tank: ATM - atmosferic
Max. temperature (°C): 85 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: 50
Top: 4 mm
Cylinder: 3 mm
Bottom: 5 mm

Internal diameter tank: 1.400 mm
Outer diameter tank: 1.510 mm
Cylinder height: 2.000 mm
Total height of tank: 3.800 mm
Empty weight tank: 845

SKU: 434813



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert

Maks. arbeidstemperatur: 85 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Lut- eller varmtvannstank i næringsmiddelindustrien; Små forskjeller i design; små bulker i den isolerende kappen på den nedre bunnen; lett metallisk misfarging innvendig; Begge tankene sto som

Øvrig informasjon2: 2-kammertanker under 2 lignende tanker laget av Aisi 316 (vårt bestillingsnummer 9608); noen rester av tidligere innhold

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 3000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 2 000 mm

Innvendig diameter: 1 400 mm

Total høyde: 3 800 mm

Ytre diameter: 1 510 mm



Tanktykkelse

Bunn: 5 mm

Sylinder: 3 mm

Topp: 4 mm

Mer

Isolert: Ja

Vekt: 845