

30000 liters tank i rustfritt stål 304



268 000 SEK /st exkl moms

Volumetric volume (L): 30.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Number of revolutions: 75 / 18

Power: 1.2 / 2.2

Internal diameter tank: 2.900 mm

Cylinder height: 4.500 mm

Total height of tank: 7.000 mm

Empty weight tank: 3.500

SKU: 565535

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert
Maks. arbeidstemperatur: 80 °C
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Mat
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 30000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Ja
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 4500 mm
Innvendig diameter: 2900 mm
Total høyde: 7 000 mm

Omrører

Effekt (kW): 1.2 / 2.2
Turtall: 75 / 18



Mer

Isolert: Ja

Vekt: 3.500