

32700 liter tank i rustfritt stål 304



307 000 SEK /st exkl moms

item available on order

Article type: brand new storage tank - type TZN-SL

Volumetric volume (L): 32.700 L

Max. density P (kg/m³): 1.000

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: conical 13 °

Shape of tank: cylindrical

Bottom type: conical 20 °

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): EPDM

Valve: RVS 316L

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: yes

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 2

Position of manway: headside

Height manhole 1 (mm): 500 mm

Hinged lid: yes

Position 2nd manway: cylinder

Height manhole 2 (mm): 440 x 305 mm

Hinged lid: yes

CIP spray ball: no

Tank outlet: inside Ø 80 mm

Outlet type: DIN11850 male

Total outlet valve: no, optional

Tank location: outside

Agitator: no

Tank capacity top cylinder: 32.700 L

Internal diameter tank: 2.984 mm

Distance from outlet to ground: 405 mm

Outer diameter tank: 2.999 mm



Cylinder height: 4.500 mm

Height of top: 382 mm

Height of bottom: 600 mm

Feet height: 1.000 mm

Total height of tank: 5.882 mm

Empty weight tank: 1.500

SKU: 384026

Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Nyprodusert

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Maksimal tetthet for produktet: 1000

Mobil tank: Nei, det er det ikke.

Omrører: Nei

Tankens form: sylindrisk

Total uttapping: Ja

Type bunn: konisk 20

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 32700



Utstyr

Dokument finnes: Nei
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Næringsmiddelgodkjent: Ja
Tankutløp: innvendig Ø 80 mm
Teknisk tegning finnes: Ja
Utløpstype: DIN11850 hann

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 4500 mm
Høyde på ben: 1 000 mm
Innvendig diameter: 2 984 mm
Mål utløp til bakken: 405 millimeter
Total høyde: 5 882 mm
Ytre diameter: 2 999 mm

Mer

Isolert: Nei
Vekt: 1.500