

## 330 liters tank i syrefast 316



24 000 SEK /st exkl moms

**Additional information:** Vessel slightly out of round; 1 welded-in bottom bearing inside the tank (see photos)

**Volumetric volume (L):** 330 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 316 (V4A)



**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** open

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** DN65 DIN 11851

**Internal diameter tank:** 780 mm

**Cylinder height:** 690 mm

**Total height of tank:** 1.260 mm

**SKU:** 484019

## Mer information



## Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tanken er litt rund; 1 sveiset bunnlager inne i tanken (se bilder)

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 330

## Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

## Materialoversikt

Materiale: Syrefast 316

## Tankdimensjoner

Sylinderhøyde: 690 mm

Innvendig diameter: 780 mm

Total høyde: 1 260 mm

## Mer

Isolert: Nei