

## 3300 liters tank i rustfritt stål 304



107 000 SEK /st exkl moms

**Additional information:** Pharmacy; Double jacket with electric plug-in heater: 9 kW (functionality not guaranteed) around the lower cylinder area and the lower floor; height-adjustable foot-frame, Aisi 304; Internal fittings (e.g. welded brackets) inside the tank

**Volumetric volume (L):** 3.300 L

**Pressure in tank:** ATM - atmospheric



**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN50 DIN 11851

**Agitator:** yes

**Number of revolutions:** 5.7 - 40

**Power:** 1,10

**Internal diameter tank:** 1.480 mm

**Outer diameter tank:** 1.650 mm

**Cylinder height:** 1.950 mm

**Total height of tank:** 3.450 mm

**SKU:** 414398



## Mer information

### Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Apotek; Dobbel kappe med elektrisk plug-in-varmer: 9 kW (funksjonalitet ikke garantert) rundt det nedre sylinderområdet og det nedre gulvet; høydejusterbar fotramme, Aisi 304; Innvendig

Øvrig informasjon2: beslag (f.eks. sveisede braketter) inne i tanken; vi kan ikke gi noen garantier for varme-/kjølekappen; vi kan ikke gi noen garantier for røreverket

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 3300

### Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

### Materialoversikt

Materiale: Rustfritt stål 304

### Tankdimensjoner

Sylinderhøyde: 1 950 mm

Innvendig diameter: 1 480 mm

Total høyde: 3 450 mm

Ytre diameter: 1 650 mm



## **Omrører**

Effekt (kW): 1,10

Turtall: 5.7 – 40

## **Mer**

Varmeveksler: RVS 304

Isolert: Ja