

3331 liter tank i rustfritt stål 304



133 000 SEK /st exkl moms

Volumetric volume (L): 3.331 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 38 L

Max Overpressure: 2 Bar

Max. working temperature: 80 °C

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Top: 2,50 mm

Cylinder: 3 mm

Bottom: 3 mm

Internal diameter tank: 1.592 mm

Cylinder height: 1.500 mm

Total height of tank: 2.600 mm

SKU: 397268



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 80 °C

Mobil tank: Nei, det er det ikke.

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 3331

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Ja

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 1 500 mm

Innvendig diameter: 1592 mm

Total høyde: 2 600 mm

Tanktykkelse

Bunn: 3 mm

Sylinder: 3 mm

Topp: 2,50 mm



Mer

Varmeveksler: RVS 304

Isolert: Nei