

3340 liters tank i rustfritt stål 304



126 000 SEK /st exkl moms

Article type: second-hand pressure tank

Volumetric volume (L): 3.340 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): -1 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes



Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 3 adjustable feet

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 65 mm

Agitator: no, optional

Insulation body: yes

Insulation bottom/sides: yes

finish of the outer jacket: welded

Internal diameter tank: 1.670 mm

Distance from outlet to ground: 450 mm

Outer diameter tank: 1.780 mm

Cylinder height: 1.150 mm

Total height of tank: 2.410 mm

Empty weight tank: 800

SKU: 383471



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: isolert

Mobil tank: Nei, det er det ikke.

Omrører: Nei

Overtrykk: 3 barer

Tankens form: sylindrisk

Total uttapping: Ja

Type bunn: tallerken

Undertrykk (vakuum): -1 bar

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 3340

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Næringsmiddelgodkjent: Ja

Tankutløp: innvendig Ø 65 mm

Teknisk tegning finnes: Nei, det er det ikke.



Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): RVS 304

Utvendig kledning: RVS 304

Tankdimensjoner

Sylinderhøyde: 1 150 mm

Innvendig diameter: 1670 mm

Mål utløp til bakken: 450 mm

Total høyde: 2410 mm

Ytre diameter: 1 780 mm

Tykkelse på ytterbekledning og isolasjon

Finish utvendig kappe: sveiset

Isolasjon bunn/gavler: Ja

Isolasjon kappe: Ja

Mer

Isolert: Ja

Vekt: 800