

3360 liters tank i syrefast 316



67 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: the tank has never been used, look closely at the pictures, only what you see in the pictures is with the tank and not what is on the drawing.

Volumetric volume (L): 3.360 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 non adjustable feet

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Tank outlet: inside Ø 15 mm

Outlet type: DIN2576

Total outlet valve: no



Top: 3 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Tank capacity top cylinder: 3.360 L

Outer diameter tank: 1.400 mm

Cylinder height: 2.000 mm

Total height of tank: 2.800 mm

Empty weight tank: 380

SKU: 384422

Mer information

Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: tanken har aldri blitt brukt, se nøye på bildene, bare det du ser på bildene er med tanken og ikke det som er på tegningen.

Omrører: Nei

Tankens form: sylindrisk

Total uttapping:

Type bunn: konisk

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 3360



Utstyr

Dokument finnes: Nei
Flens for omrører: Nei
Merkeskilt: Ja
Tankutløp: innvendig Ø 15 mm
Teknisk tegning finnes: Nei, det er det ikke.
Utløpstype: DIN2576
Utløpsventil: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316
Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 2 000 mm
Total høyde: 2 800 mm
Ytre diameter: 1 400 mm

Tanktykkelse

Bunn: 3 mm
Sylinder: 2,50 mm
Topp: 3 mm

Mer

Isolert: Nei
Vekt: 380