

3500 liters tank i rustfritt stål 304



45 000 SEK /st exkl moms

Additional information: spirits; Manhole cover flange made of Fe; 1 former connection in the lower base welded shut

Volumetric volume (L): 3.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN32 DIN 11851

Internal diameter tank: 1.590 mm

Cylinder height: 1.450 mm

Total height of tank: 2.400 mm

SKU: 452828

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: sprit; kumløkkflens laget av Fe; 1 tidligere tilkobling sveiset fast i den nedre bunnen av hver tank (se bilder)

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 3500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 1 450 mm

Innvendig diameter: 1590 mm

Total høyde: 2 400 mm

Mer

Isolert: Nei