

40000 liters tank i rustfritt stål 304



285 000 SEK /st exkl moms

Additional information: Frame reinforced with concrete (see pictures)

Volumetric volume (L): 40.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Top: 4,50 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Outer diameter tank: 3.050 mm

Cylinder height: 6.000 mm

Total height of tank: 8.300 mm

Empty weight tank: 12.000

SKU: 567599

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Mat; Ramme forsterket med betong (se bilder); vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 40000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 6 000 mm

Total høyde: 8 300 mm

Ytre diameter: 3 050 mm

Tanktykkelse

Bunn: 3 mm

Sylinder: 2,50 mm

Topp: 4,50 mm



Mer

Isolert: Ja

Vekt: 12.000