

4200 liters tank i rustfritt stål 304



34 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 4.200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical



Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 304

Fixation point(s): painted steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 450 mm

Tank outlet: inside Ø 65 mm

Outlet type: DIN11851

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Distance from outlet to ground: 750 mm

Outer diameter tank: 1.850 mm

Cylinder height: 1.575 mm

Total height of tank: 2.700 mm

Empty weight tank: 400

SKU: 383024



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Omrører: Nei

Tankens form: sylindrisk

Total uttapping:

Type bunn: flat skråning

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 4200

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Tankutløp: innvendig Ø 65 mm

Teknisk tegning finnes: Nei, det er det ikke.

Utløpstype: DIN11851

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): lakkert stål

Tankdimensjoner

Sylinderhøyde: 1,575 mm

Mål utløp til bakken: 750 mm

Total høyde: 2700 mm

Ytre diameter: 1 850 mm

**Tanktykkelse**

Bunn: 3 mm

Sylinder: 2,50 mm

Topp: 3 mm

Mer

Isolert: Nei

Vekt: 400