

42610 liter tank i rustfritt stål 304



306 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Suction tube instead of a total drain, the previous product was ammonia

Volumetric volume (L): 42.610 L

Pressure in tank: pressure

Max. pressure (Bar): 2,60 Bar

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Wall type: dished

Total discharge: no

Manway(s): RVS 304

Fixation point(s): painted steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Tank outlet: inside Ø 60 mm

Tank location: outside

Agitator: no, optional

Top: 7 mm

Cylinder: 5 mm

Bottom: 7 mm

Outer diameter tank: 2.400 mm

Cylinder height: 8.900 mm

Total height of tank: 3.220 mm

Total outer length: 11.600 mm

Empty weight tank: 7.000

SKU: 420971



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Horisontal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Sugelang i stedet for et totalt avløp, det forrige produktet var ammoniakk

Omrører: Nei

Overtrykk: 2,60 bar

Tankens form: sylindrisk

Total uttapping: Nei, det er det ikke.

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 42610

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Tankutløp: innvendig Ø 60 mm

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): lakkert stål

Tankdimensjoner

Sylinderhøyde: 8 900 mm

Total høyde: 3 220 mm

Ytre diameter: 2 400 mm



Tanktykkelse

Bunn: 7 millimeter

Sylinder: 5 mm

Topp: 7 millimeter

Mer

Isolert: Nei

Vekt: 7.000