

43000 liters tank i rustfritt stål 304



209 000 SEK /st exkl moms

Additional information: fruit juice industry; Smaller dents in the cylinder; manhole appr. 355 x 450 mm

Volumetric volume (L): 43.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 5,10 mm

Internal diameter tank: 2.990 mm

Cylinder height: 5.950 mm

Total height of tank: 7.800 mm

Empty weight tank: 2.650

SKU: 409952

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: fruktjuiceindustrien; Mindre bulker i sylindren; mannhull ca. 355 x 450 mm

Omrører: Nei

Total uttapping: Nei, det er det ikke.

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 43000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 5 950 mm

Innvendig diameter: 2 990 mm

Total høyde: 7 800 mm

Tanktykkelse

Bunn: 5,10 mm

Sylinder: 2,50 mm

Topp: 3 mm



Mer

Isolert: Nei

Vekt: 2.650