44000 liters tank i rustfritt stål 304

230 000 SEK /st exkl moms

Additional information: fruit juice industry; manhole appr. 350 x 450 mm
Volumetric volume (L): 44.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 720 / 1430
Power: 5.5 / 7.8
Internal diameter tank: 3.000 mm

Cylinder height: 5.950 mm
Total height of tank: 7.750 mm
Empty weight tank: 2.650

SKU: 393836

Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank:
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: fruktjuiceindustrien; mannhull ca. 350 x 450 mm; vi kan ikke gi noen garantier for omrøreren
Omrører: Ja
Total uttapping:
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 44000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 5 950 mm
Innvendig diameter: 3 000 mm
Total høyde: 7 750 mm

Omrører

Effekt (kW): 5.5 / 7.8
Turtall: 720 / 1430

Mer
Isolert: Nei
Vekt: 2.650