

4450 liters tank i rustfritt stål 304



156 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: Tank AD-2000 Merkblatt; hardly ever used

Volumetric volume (L): 4.450 L

Max. density P (kg/m³): 1.200

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Max. temperature (°C): 90 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: yes

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 50 mm

Agitator: no

Top: 5 mm

Cylinder: 4 mm

Bottom: 5 mm

Outer diameter tank: 1.800 mm

Cylinder height: 1.585 mm

Total height of tank: 2.400 mm

Empty weight tank: 805

SKU: 417953



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 90 °C

Maksimal tetthet for produktet: 1200

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tank AD-2000 Merkblatt; nesten aldri brukt

Omrører: Nei

Overtrykk: 0,50 bar

Tankens form: sylindrisk

Total uttapping: Ja

Type bunn: tallerken

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 4450

Utstyr

Dokument finnes: Ja

Flens for omrører: Nei

Merkeskilt: Ja

Tankutløp: innvendig Ø 50 mm

Teknisk tegning finnes: Ja

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): RVS 304



Tankdimensjoner

Sylinderhøyde: 1585 mm

Total høyde: 2 400 mm

Ytre diameter: 1 800 mm

Tanktykkelse

Bunn: 5 mm

Sylinder: 4 mm

Topp: 5 mm

Mer

Isolert: Nei

Vekt: 805