

500 liters tank i syrefast 316



71 000 SEK /st exkl moms

Additional information: 5 more identical vessels available on request

Volumetric volume (L): 500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: available

Top: 2,50 mm

Cylinder: 2,50 mm

Bottom: 2,50 mm

Internal diameter tank: 750 mm

Cylinder height: 990 mm

Total height of tank: 1.610 mm

Empty weight tank: 120

SKU: 490740

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Ytterligere 5 identiske fartøy tilgjengelig på forespørsel

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 990 mm

Innvendig diameter: 750 mm

Total høyde: 1 610 mm

Tanktykkelse

Bunn: 2,50 mm

Sylinder: 2,50 mm

Topp: 2,50 mm



Mer

Isolert: Nei

Vekt: 120