50000 liters tank i rustfritt stål 304

205 000 SEK /st exkl moms

Additional information: wine; The storage tanks are available in 2 versions: 4x with agitator & 23x without agitator; each with 2x cooling plates;
Volumetric volume (L): 50.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single jacketed with heat-exchanger
Heat exchanger: yes
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Internal diameter tank: 3.150 mm
Cylinder height: 6.550 mm
Total height of tank: 7.000 mm

SKU: 432932

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkeltmantlet med varmeveksler
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: vin; Lagringstankene er tilgjengelige i 2 versjoner: 4x med røreverk og 23x uten røreverk; hver med 2x kjøleplater;
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Ja
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 50000

Utstyr

Dokument finnes: Nei
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 6 550 mm
Innvendig diameter: 3 150 mm
Total høyde: 7 000 mm

Mer

Isolert: Nei

Rodervägen 57
891 78 Bonässund
info@processoverskott.se