5200 liters tank i rustfritt stål 304

67 000 SEK /st exkl moms

Additional information: Wine storage; 1 manhole approx. 340 x 440 mm in the front floor; vessels were professionally cleaned by a specialist company in 2024; walls curved outwards; tanks with dents (see photos)
Volumetric volume (L): 5.200 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: DN65 DIN 11851

Total height of tank: 2.650 mm
Total outer width: 1.400 mm
Total outer length: 2.080 mm

SKU: 445682

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Vinlagring; 1 mannhull ca. 340 x 440 mm i den fremre bunnen; tankene ble profesjonelt rengjort av et spesialfirma i 2024; vegger buet utover; Tanker med bulker (se bilder)
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 5200

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Total høyde: 2650 mm

Mer

Isolert: Nei

Rodervägen 57
891 78 Bonässund
info@processoverskott.se