

545 liters tank i syrefast 316



57 000 SEK /st exkl moms

Additional information: Pharmacy; Further technical documents available

Volumetric volume (L): 545 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar



Max. temperature (°C): 133 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 790 mm

Cylinder height: 910 mm

Total height of tank: 2.050 mm

SKU: 415058

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 133 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Apotek; Flere tekniske dokumenter tilgjengelig

Omrører: Nei

Overtrykk: 3 barer

Total uttapping: Ja

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 545

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 910 mm

Innvendig diameter: 790 mm

Total høyde: 2 050 mm

Mer

Isolert: Nei

