

5530 liter tank i rustfritt stål 304



157 000 SEK /st exkl moms

Additional information: Double jacket probably with trickle ring - only suitable for unpressurized temperature control; the welding of the double jacket in the upper area has come loose slightly in places; outlet diameter 65 mm (tapers to approx. 50 mm towards the vessel); small dents inside the tank; heating connections cut off; pipe end cut flush

Volumetric volume (L): 5.530 L



Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,20 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 145 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Number of revolutions: 15.5 / 31

Power: 0.8 / 1.6

Internal diameter tank: 1.550 mm

Outer diameter tank: 1.660 mm

Cylinder height: 2.500 mm

Total height of tank: 4.350 mm

SKU: 443435



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 145 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Meieri; Dobbeltmantel sannsynligvis med dryppring – kun egnet for trykløs herding; sveisingen av dobbeltmantelen i det øvre området har løsnet litt på enkelte steder; utløpsdiameter 65

Øvrig informasjon2: mm (avsmalner mot tanken til ca. 50 mm); små bulker inne i tanken; varmekoblinger kuttet av; rørenden kuttet i flukt; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Overtrykk: 3,20 bar

Total uttapping: Ja

Undertrykk (vakuum): 1 bar

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 5530

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Sylinderhøyde: 2 500 mm

Innvendig diameter: 1 550 mm

Total høyde: 4 350 mm

Ytre diameter: 1 660 mm

Omrører

Effekt (kW): 0.8 / 1.6

Turtall: 15.5 / 31

Mer

Isolert: Nei