568 liters tank i syrefast 316

110 000 SEK /st exkl moms

Article type: second-hand pressure tank
Additional information: Pharmacy; scratches inside
Volumetric volume (L): 568 L
Pressure in tank: pressure and vacuum

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar
Max. temperature (°C): 134 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single jacketed with heat-exchanger

Heat exchanger: yes
Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 108 L

Max Overpressure: 2 Bar
Max onderdruk: 1 Bar
Max. working temperature: 134 °C
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket

Suitable for food industry: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: yes

Outlet of tank: 23
Internal diameter tank: 810 mm
Outer diameter tank: 900 mm
Cylinder height: 850 mm
Total height of tank: 1.830 mm

Empty weight tank: 750

SKU: 402332

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Beskrivelse av produkt

Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: trykk og vakuum
Konfiguration: enkeltmantlet med varmeveksler
Maks. arbeidstemperatur: 134 °C
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Apotek; riper på innsiden
Omrører: Nei
Overtrykk: 2 barer
Total uttapping: Ja
Undertrykk (vakuum): 1 bar
Trykktank: Ja
Oppvarming/kjøling: Ja
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 568

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Ja
Merkeskilt: Ja
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Tankdimensjoner

Sylinderhøyde: 850 mm
Innvendig diameter: 810 mm
Total høyde: 1830 mm
Ytre diameter: 900 mm

Mer

Isolert: Nei
Vekt: 750

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor