60000 liters tank i rustfritt stål 304

394 000 SEK /st exkl moms

Additional information: food industry
Volumetric volume (L): 60.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: no

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Agitator: yes
Internal diameter tank: 3.700 mm
Outer diameter tank: 3.880 mm
Total height of tank: 9.200 mm

SKU: 485627

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: næringsmiddelindustrien; vi kan ikke gi noen garantier for omrøreren
Omrører: Ja
Total uttapping: Nei, det er det ikke.
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 60000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Innvendig diameter: 3 700 mm
Total høyde: 9 200 mm
Ytre diameter: 3 880 mm

Mer

Isolert: Ja

Rodervägen 57
891 78 Bonässund
info@processoverskott.se