

6700 liters tank i rustfritt stål 304



70 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: Tank comes from the coffee industry, still residue from the previous product in the tank.; we can't give any guarantees about the agitator

Volumetric volume (L): 6.700 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851

Total outlet valve: no

Agitator: yes

Agitator type: propeller agitator

Position engine: at the top

Voltage: three-phase

Distance from outlet to ground: 250 mm

Outer diameter tank: 1.850 mm

Cylinder height: 2.540 mm

Total height of tank: 3.700 mm

Empty weight tank: 600

SKU: 489600



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tanken kommer fra kaffeindustrien, fortsatt rester fra det forrige produktet i tanken; vi kan ikke gi noen garantier for røreverket

Omrører: Ja

Tankens form: sylindrisk

Total uttapping:

Type bunn: konisk

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 6700

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Næringsmiddelgodkjent: Ja

Tankutløp: innvendig Ø 50 mm

Teknisk tegning finnes: Nei, det er det ikke.

Utløpstype: DIN11851

Utløpsventil: Nei, det er det ikke.



Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 2 540 mm

Mål utløp til bakken: 250 mm

Total høyde: 3 700 mm

Ytre diameter: 1 850 mm

Omrører

Motorposisjon: på toppen

Type omrører: propellomrører

Spennning (Volt): trefaset

Mer

Isolert: Nei

Vekt: 600