

800 liters tank i rustfritt stål 304



16 000 SEK /st exkl moms

Article type: second-hand transport tank

Additional information: The tanks have some dents; look closely at the photos; used for various egg products. Not all tanks have nameplates, bayonet manhole closure.

Volumetric volume (L): 800 L

Pressure in tank: pressure

Design pressure (Bar): 2,86 Bar

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): -0,15 Bar

Max. temperature (°C): 130 °C

Min. temperature (°C): -10 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851

Total outlet valve: yes

Distance from outlet to ground: 200 mm

Outer diameter tank: 1.020 mm

Cylinder height: 880 mm

Total height of tank: 1.600 mm

Empty weight tank: 107

SKU: 569960



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Designtrykk for tanken: 2,86 bar

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 130 °C

Min. arbeidstemperatur: -10 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tankene har noen bulker; se nøye på bildene; brukt til forskjellige eggprodukter. Ikke alle tankene har navneskilt, bajonettlokk.

Omrører: Nei

Overtrykk: 2 barer

Tankens form: sylindrisk

Total uttapping:

Type bunn: konisk

Undertrykk (vakuum): -0,15 Bar

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 800



Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Næringsmiddelgodkjent: Ja
Tankutløp: innvendig Ø 50 mm
Teknisk tegning finnes: Nei, det er det ikke.
Utløpstype: DIN11851
Utløpsventil: Ja

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 880 mm
Mål utløp til bakken: 200 mm
Total høyde: 1 600 mm
Ytre diameter: 1 020 mm

Mer

Isolert: Nei
Vekt: 107