

800 liters tank i syrefast 316



19 000 SEK /st exkl moms

Additional information: 4-legged frame made of stainless steel 304; manhole diameter approx. 490 mm; cone height approx. 400 mm; traces of usage

Volumetric volume (L): 800 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN80 DIN 11851

Internal diameter tank: 950 mm

Cylinder height: 1.000 mm

Total height of tank: 1.900 mm

SKU: 568457

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Kosmetikk; 4-beins ramme laget av rustfritt stål 304; mannhullsdiаметer ca. 490 mm; kjegle høyde ca. 400 mm; spor etter bruk

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 800

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 1 000 mm

Innvendig diameter: 950 mm

Total høyde: 1 900 mm

Mer

Isolert: Nei