

8250 liter ståltank (emaljert)





228 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Support ring made of Fe; sheet metal cuts in the insulating jacket; original manhole cover is no longer present (a similar manhole cover is enclosed loose, see photos); the enamel layer is slightly chipped in places on 1 connection (see photos)

Volumetric volume (L): 8.250 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 685 L

Max Overpressure: 7 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 150

Agitator: yes

Power: 15

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.310 mm



Cylinder height: 2.100 mm

Total height of tank: 5.250 mm

SKU: 398252

Mer information

Beskrivelse av produkt

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 200 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Farmasøytisk kjemi; støttering av Fe; avkappede metallplater i isolasjonsmantelen; det originale kumløkket er ikke lenger tilgjengelig (et lignende kumløkk er løst, se bilder);

Øvrig informasjon2: ved 1 tilkobling er emaljelaget stedvis litt avskallet (se bilder); vi kan ikke gi noen garanti for varme-/kjølekappen; vi kan ikke gi noen garanti for røreverket

Omrører: Ja

Overtrykk: 6 barer

Total uttapping: Ja

Undertrykk (vakuum): 1 bar

Trykktank: Ja

Oppvarming/kjøling: Ja

Volum i liter: 8250



Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Tankdimensjoner

Sylinderhøyde: 2100 mm

Innvendig diameter: 2 000 mm

Total høyde: 5 250 mm

Ytre diameter: 2310 mm

Omrører

Effekt (kW): 15

Mer

Isolert: Ja